

Hope Botanicals

Grandbury, TX 76049

Sample: 2305DBL0046.1057

METRC Sample:

Strain: N/A

Ordered: 05/15/2023; Sampled: 05/15/2023; Completed: 05/18/2023

## Pellets

Ingestible, Other



### Cannabinoids



### Cannabinoids

<LOQ

9.658  
mg/g

Δ9-THC + Δ8-THC

CBD

22.225  
mg/g

NT

Total Cannabinoids

Moisture

### Cannabinoid Profile

Analyzed by 300.18 UHPLC/PDA

Cannabinoid	Mass	Mass	LOQ
	mg/g	%	
CBC	0.884	0.0884	0.039
CBCa	0.357	0.0357	0.039
CBD	9.658	0.9658	0.039
CBDa	<LOQ	<LOQ	0.039
CBDV	<LOQ	<LOQ	0.039
CBDVa	<LOQ	<LOQ	0.039
CBG	3.069	0.3069	0.039
CBGa	8.134	0.8134	0.039
CBL	0.078	0.0078	0.039
CBN	0.045	0.0045	0.039
Δ8-THC	<LOQ	<LOQ	0.039
Δ9-THC	<LOQ	<LOQ	0.039
THCa	<LOQ	<LOQ	0.039
THCV	<LOQ	<LOQ	0.039
THCVa	<LOQ	<LOQ	0.039
<b>Total THC</b>	<b>ND</b>	<b>ND</b>	
<b>Total CBD</b>	<b>9.658</b>	<b>0.9658</b>	
<b>Total</b>	<b>22.225</b>	<b>2.2225</b>	



  
Glen Marquez  
Laboratory Director

  
Sherri Defreese  
Quality Control



4439 Polaris Ave  
Las Vegas, NV  
(702) 728-5180  
www.dblabslv.com

DB Labs will not discuss any part of this study with personnel other than those authorized by the client, this report is considered highly confidential and the sole property of the client. This Certificate shall not be reproduced except in full, without the written approval of DB Labs. The results described in this report only apply to the samples analyzed. Edibles are picked up prior to final packaging unless otherwise stated. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ=Limit of Quantitation, Pesticide LOQ=Instrument Limit of Quantitation, NA=Not Applicable, ND=Not Detected, NR=Not Reported, NT=Not Tested, TNC=Too Numerous to Count (microbial), PGR=Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Action levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The "Decision Rule" for the pass/fail does not include the UM. The UM associated with the result reported in this certificate is available upon request. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using a quality system and valid testing methodologies as required by Nevada Regulations. The limits are based on NV regulations.